

STAINLESS STEEL BENCH SCALES

EB-150 with
210 Indicator



Designed for top
performance and
long-term accuracy.

FEATURES:

- Stainless Steel Construction
- Large LED or LCD Display
- Push Button Tare
- Flexible Print Formats
- Pounds/Kilograms Conversion
- Gross, Tare, Net Conversion
- AC or Battery Power
- Auto Shutoff

EB-300 with
210 Indicator



Stainless steel bench scales . . . now with improved features to answer your needs

Simplicity of design and rugged construction are the key features of our new stainless steel bench scale series. A simple frame and bridge design with lift-off platform simplifies cleanup by providing direct access to all of the components.

Select the size and capacity scale you need and match it up with the Cardinal indicator that best suits your application. The 204 is perfect for basic weighing. For harsher environments choose the 205 with NEMA 4x enclosure or the 210 which also features keypad tare, piece count and checkweighing.

Whatever your needs may be, select from Cardinal's complete line of stainless steel bench scales.



EB-15
with 205
Indicator



EB-150
with 204
Indicator

Specifications

Display:

Model 204: 6-digit, 7-segment LCD, 25mm/1" high
Model 205/210: 6-digit, 7-segment LED, 14mm/0.6" high

Annunciators:

Model 204: Zero, gross, tare, net, low battery
Model 205: Zero, gross, tare, net, low battery, stable, lb, oz, kg, g, t, T,
Model 210: All of the above plus PWC-1/under, PWC-2/accept, PWC-3/over

Enclosure:

Model 204: Stainless steel - 8"W x 6 5/8"H x 2 1/8"D
204mm x 168mm x 54mm
Model 205/210: NEMA 4X/IP66 - 9"W x 7"H x 2 3/4"D
229mm x 178mm x 70mm

Keyboard:

Model 204/205: 7 keys
Model 210: 22 keys

Units:

Pounds, kilograms, ounces, grams, or pounds/kilograms

Sample Rate:

1 - 50 samples per second, selectable

Auto Zero Range:

0.5 or 1 to 9 graduations

Resolution:

1 part in 100,000 displayed

1 part in 1,000,000 internal

Power:

90 to 260 VAC, 50 or 60 Hz

Temperature Range:

-10°C to 40°C/14°F to 104°F

I/O:

1 bidirectional RS232 (20mA)

1 output only RS232 (20mA)

The optional battery allows the indicator to be used anywhere, or to keep you weighing even during power outages.



Model	Capacity	Platform Size
EB-15-204	15 lb x .005 lb/6 kg x .002 kg	250 x 300 mm/10" x 12"
EB-15-205		
EB-15-210		
EB-15-LPAN		
EB-30-204	30 lb x .01 lb/15 kg x .005 kg	250 x 300 mm/10" x 12"
EB-30-205		
EB-30-210		
EB-30-LPAN		
EB-60-204	60 lb x .02 lb/30 kg x .01 kg	350 x 400 mm/14" x 16"
EB-60-205		
EB-60-210		
EB-60-LPAN		
EB-150-204	150 lb x .05 lb/60 kg x .02 kg	350 x 400 mm/14" x 16"
EB-150-205		
EB-150-210		
EB-150-LPAN		
EB-300-204	300 lb x .1 lb/150kg x .05 kg	500 x 600 mm/20" x 24"
EB-300-205		
EB-300-210		
EB-300-LPAN		



Pending



Cardinal Scale reserves the right to improve, enhance, and modify features and specifications without prior notice.



Cardinal
Cardinal Scale Manufacturing Co.

P.O. Box 151, Webb City, MO 64870 USA

Ph: 417-673-4631 or 800-441-4237 • Fax: 417-673-5001

Visit our Web site at <http://www.cardinalscale.com>

©2002 Cardinal Scale Mfg. Co. • Printed in USA • MWC/7500/0702/279

Sold By: